



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.03.2023

Version number 9.0 (replaces version 8.0)

Revision: 10.03.2023

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- **1.1 Product identifier**
- **Trade name: KEIM LIGNOSIL-BASE-W**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the mixture** wood-primer
- **Uses advised against** All other uses are not recommended.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
KEIMFARBEN GMBH  
Keimstraße 16 / 86420 Diedorf  
Tel. +49 (0)821 4802-0  
Fax +49 (0)821 4802-210  
www.keim.com / info@keimfarben.de
- **Further information obtainable from:**  
Product safety department  
Telefon: 49(0)821/4802-138  
E-Mail: sdb.info@keimfarben.de
- **1.4 Emergency telephone number:**  
GBK GmbH Global Regulatory Compliance  
Emergency number: +49(0)6132/84463

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
The product is not classified, according to the CLP regulation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Additional information:**  
EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.
- **Note:**  
These are preservatives.  
Avoid contact with the skin and eyes.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable

DEN

(Contd. on page 2)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.03.2023

Version number 9.0 (replaces version 8.0)

Revision: 10.03.2023

**Trade name: KEIM LIGNOSIL-BASE-W**

(Contd. of page 1)

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

**Description:** Aqueous alkyd resin emulsion with additives

**Dangerous components:**

CAS: 111-76-2 EINECS: 203-905-0 Index number: 603-014-00-0 Reg.nr.: 01-2119475108-36	2-butoxyethanol ⚠ Acute Tox. 3, H331; ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319 ATE: LD50 oral: 1,200 mg/kg LC50/4 h inhalative: 3 mg/l	≤1%
CAS: 55965-84-9 EC number: 611-341-5 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48-xxxx	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) ⚠ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ⚠ Skin Corr. 1C, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ⚠ Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	<0.0015%

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

**General information:**

With appearance of symptoms or in cases of doubt seek medical advice .

When seeing the doctor we suggest to present this safety data sheet.

**After inhalation:** Supply fresh air; consult doctor in case of complaints.

**After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

**After eye contact:**

Rinse opened eye for several minutes under running water. Then consult a doctor.

**After swallowing:**

Rinse mouth and throat well with water.

Do not induce vomiting; call for medical help immediately.

**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

(Contd. on page 3)

DEN



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.03.2023

Version number 9.0 (replaces version 8.0)

Revision: 10.03.2023

**Trade name: KEIM LIGNOSIL-BASE-W**

(Contd. of page 2)

- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
  - **Suitable extinguishing agents:** CO<sub>2</sub>, foam, dry extinguishing powder
  - **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**

In case of fire, the following can be released:  
carbon oxide (CO<sub>x</sub>)  
In case of fire, thick, black smoke develops. Inhalation of the dangerous decomposition products may cause serious health damages.
- **5.3 Advice for firefighters**
  - **Special protective equipment:** Wear self-contained respiratory protective device.
  - **Additional information**

The product itself is not inflammable. The remaining polymer after ablating of the aqueous phase is flammable.  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.  
In case of fire do not breathe smoke, fumes and vapours.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin and eyes.  
Ensure adequate ventilation  
Keep away from ignition sources.  
Particular danger of slipping on leaked/spilled product.  
Respect the protection rules (see section 7 and 8).
- **6.2 Environmental precautions:**

Do not allow product to reach soil, sewage system or any water course.  
Follow local governmental rules and regulations.
- **6.3 Methods and material for containment and cleaning up:**

Absorb with non-combustible liquid-binding material (sand, earth, diatomite, vermiculite).  
Close drainages (risk of blocking due to polymer precipitation)  
Dispose of the material collected according to regulations.  
Flush rests with sufficient amount of water.  
Clear contaminated areas thoroughly.
- **6.4 Reference to other sections**

See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

DEN

(Contd. on page 4)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.03.2023

Version number 9.0 (replaces version 8.0)

Revision: 10.03.2023

Trade name: KEIM LIGNOSIL-BASE-W

(Contd. of page 3)

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with skin and eyes.

See item 8 (8.2) for information about suitable protective equipment and technical precautions.

Respect the protection rules.

#### Information about fire - and explosion protection:

Protect from heat.

Keep ignition sources away - Do not smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

##### Storage:

##### Requirements to be met by storerooms and receptacles:

Keep in the original containers in a cool and dry place.

Store only in unopened original receptacles.

##### Information about storage in one common storage facility: Not required.

##### Further information about storage conditions:

Protect from frost.

Store in a cool place.

Protect from heat and direct sunlight.

Store at temperatures between 5 °C and 40 °C.

##### Storage class: 12

##### General information: Stir up well before use.

##### GISCode BSW20 Beschichtungsstoffe, wasserbasiert

##### 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Ingredients with limit values that require monitoring at the workplace:

##### 111-76-2 2-butoxyethanol

AGW (Germany)	Long-term value: 49 mg/m <sup>3</sup> , 10 ppm 2(I);EU, DFG; H, Y
---------------	--

##### 55965-84-9 reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

MAK (Germany)	Long-term value: 0.2E mg/m <sup>3</sup> vgl.Abschn.Xc
---------------	--

##### DNELs

##### 111-76-2 2-butoxyethanol

Oral	Long-term - systemic effects	6.3 mg/kg bw/day (consumer)
	Acute - local effects	26.7 mg/kg/day (consumer)
	Acute - systemic effects	26.7 mg/kg/day (consumer)

(Contd. on page 5)

DEN



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.03.2023

Version number 9.0 (replaces version 8.0)

Revision: 10.03.2023

**Trade name: KEIM LIGNOSIL-BASE-W**

(Contd. of page 4)

Dermal	Long-term - systemic effects	75 mg/kg bw/day (consumer) 125 mg/kg bw/day (worker)
	Acute - systemic effects	89 mg/kg/day (consumer) 89 mg/kg/day (worker)
Inhalative	Acute - systemic effects	426 mg/m <sup>3</sup> (consumer) 1,091 mg/m <sup>3</sup> (worker)
	Acute - local effects	147 mg/m <sup>3</sup> (consumer) 246 mg/m <sup>3</sup> (worker)
	Long-term - systemic effects	59 mg/m <sup>3</sup> (consumer) 98 mg/m <sup>3</sup> (worker)

**· PNECs****111-76-2 2-butoxyethanol**

Aquatic compartment - freshwater	8.8 mg/l (Freshwater)
Aquatic compartment - marine water	0.88 mg/l (Seawater)
Aquatic compartment - water, intermittent releases	9.1 mg/l (not specified)
Aquatic compartment - sediment in freshwater	34.6 mg/kg sed dw (Freshwater sediment)
Aquatic compartment - sediment in marine water	3.46 mg/kg sed dw (Seawater)
Terrestrial compartment - soil	2.33 mg/kg dw (soil)
Sewage treatment plant	463 mg/l (Sewage treatment plant)

**· Ingredients with biological limit values:****111-76-2 2-butoxyethanol**

BGW (Germany)	150 mg/g Kreatinin Untersuchungsmaterial: Urin Probennahmezeitpunkt: Expositionsende bzw. Schichtende, bei Langzeitexposition: am Schichtende nach mehreren vorangegangenen Schichten Parameter: Butoxyessigsäure (nach Hydrolyse)
---------------	---

**· Additional information:** The lists valid during the making were used as basis.**· 8.2 Exposure controls****· Individual protection measures, such as personal protective equipment****· General protective and hygienic measures:**

Avoid contact with the eyes and skin.  
Wash hands before breaks and at the end of work.  
Immediately remove all soiled and contaminated clothing.

**· Respiratory protection:**

Use suitable respiratory protective device only when aerosol or mist is formed.  
Combination filter A/P

**· Hand protection** Protective gloves**· Material of gloves**

suitable material e.g.:  
PVC or PE gloves  
Recommended thickness of the material:  $\geq 0.7$  mm

(Contd. on page 6)

DEN



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.03.2023

Version number 9.0 (replaces version 8.0)

Revision: 10.03.2023

**Trade name: KEIM LIGNOSIL-BASE-W**

(Contd. of page 5)

Natural rubber, NR

Recommended thickness of the material:  $\geq 0.4$  mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**· Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**· Eye/face protection** Tightly sealed goggles**· Body protection:** Protective work clothing**· Environmental exposure controls**

See Section 12 and 6.2

No further relevant information available.

### SECTION 9: Physical and chemical properties

**· 9.1 Information on basic physical and chemical properties****· General Information****· Physical state**

Fluid

**· Colour:**

milky-white

**· Odour:**

Characteristic

**· Odour threshold:**

Not determined

**· Melting point/freezing point:**

~0 °C

**· Boiling point or initial boiling point and boiling range**

~100 °C

**· Flammability**

Not applicable

**· Lower and upper explosion limit****· Lower:**

Not applicable

**· Upper:**

Not applicable

**· Flash point:**

&gt;100 °C

**· Ignition temperature:**

Not determined

**· Decomposition temperature:**

Not determined

**· pH at 20 °C**

~7

**· Viscosity:****· Kinematic viscosity at 40 °C**<205\* mm<sup>2</sup>/s**· Dynamic at 20 °C:**

100-500\* mPas

**· Solubility****· water:**

Miscible

**· Partition coefficient n-octanol/water (log value)**

Not determined.

111-76-2 | 2-butoxyethanol | 0,83 logPOW

**· Vapour pressure at 20 °C:**

~23 hPa

**· Density and/or relative density****· Density at 20 °C:**1.0-1.1\* g/cm<sup>3</sup>

(Contd. on page 7)

DEN



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.03.2023

Version number 9.0 (replaces version 8.0)

Revision: 10.03.2023

**Trade name: KEIM LIGNOSIL-BASE-W**

(Contd. of page 6)

· <b>Relative density</b>	Not determined
· <b>Vapour density</b>	Not applicable.
· <b>9.2 Other information</b>	* The values are for freshly produced material and may change with the time.
· <b>Appearance:</b>	
· <b>Form:</b>	Fluid
· <b>Important information on protection of health and environment, and on safety.</b>	
· <b>Auto-ignition temperature:</b>	Product is not selfigniting.
· <b>Explosive properties:</b>	Product does not present an explosion hazard.
· <b>Change in condition</b>	
· <b>Softening point/range</b>	
· <b>Oxidising properties:</b>	Not applicable
· <b>Evaporation rate</b>	Not determined.
· <b>Information with regard to physical hazard classes</b>	
· <b>Explosives</b>	Void
· <b>Flammable gases</b>	Void
· <b>Aerosols</b>	Void
· <b>Oxidising gases</b>	Void
· <b>Gases under pressure</b>	Void
· <b>Flammable liquids</b>	Void
· <b>Flammable solids</b>	Void
· <b>Self-reactive substances and mixtures</b>	Void
· <b>Pyrophoric liquids</b>	Void
· <b>Pyrophoric solids</b>	Void
· <b>Self-heating substances and mixtures</b>	Void
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
· <b>Oxidising liquids</b>	Void
· <b>Oxidising solids</b>	Void
· <b>Organic peroxides</b>	Void
· <b>Corrosive to metals</b>	Void
· <b>Desensitised explosives</b>	Void

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** Stable under normal conditions of storage and use.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.

(Contd. on page 8)

DEN



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.03.2023

Version number 9.0 (replaces version 8.0)

Revision: 10.03.2023

**Trade name: KEIM LIGNOSIL-BASE-W**

(Contd. of page 7)

**10.6 Hazardous decomposition products:**

In case of fire, thick, black smoke develops. Inhalation of the dangerous decomposition products may cause serious health damages.

In case of fire, the following can be released:

Carbon oxides (CO<sub>x</sub>)

No hazardous decomposition products if stored and handled as prescribed.

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

· **Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:****111-76-2 2-butoxyethanol**

Oral	LD50	1,200 mg/kg (ATE) 1,000-2,000 mg/kg (rat)
Dermal	LD50	2,000 mg/kg (rat) 1,000-2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	3 mg/l (ATE) 450-900 mg/l (rat)

· **Skin corrosion/irritation** Frequent persistent contact with the skin may cause skin irritation.

**Serious eye damage/irritation**

In case of longer exposure, slightly irritating effect to the eyes is possible.

· **during inhalation:** Irritant effect possible.

· **during swallowing:** Irritant effect possible

**Respiratory or skin sensitisation**

Contains CIT/MIT(3:1). May produce an allergic reaction.

CIT = 5-chloro-2- methyl-2H-isothiazol-3-one

MIT = 2-methylisothiazol-3(2H)-one

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

· **Carcinogenicity** Based on available data, the classification criteria are not met.

· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **STOT-single exposure** Based on available data, the classification criteria are not met.

· **STOT-repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

**Other information (about experimental toxicology):**

Experimental analysis are not available.

The product was not tested. The statements on toxicology have been derived from the properties of the individual components.

**Subacute to chronic toxicity:**

· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)** Not applicable

(Contd. on page 9)





## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.03.2023

Version number 9.0 (replaces version 8.0)

Revision: 10.03.2023

**Trade name: KEIM LIGNOSIL-BASE-W**

(Contd. of page 8)

**· 11.2 Information on other hazards****· Endocrine disrupting properties**

None of the ingredients is listed.

**SECTION 12: Ecological information****· 12.1 Toxicity****· Aquatic toxicity:****111-76-2 2-butoxyethanol**

EC 50/48h 1,550 mg/l (daphnia) (OECD 202)

EC 50/16h &gt;700 mg/l (bacteria)

EC 50/72 h 911-1,840 mg/l (algae)

LC 50/96 h 1,474 mg/l (fish) (OECD 203)

**· 12.2 Persistence and degradability** No further relevant information available.**· Other information:**

Elimination in biological waste water treatment plants is effected by flocculation, precipitation and adsorption on sewage sludge.

**· 12.3 Bioaccumulative potential** No further relevant information available.**· 12.4 Mobility in soil** No further relevant information available.**· 12.5 Results of PBT and vPvB assessment****· PBT:** Not applicable**· vPvB:** Not applicable**· 12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

**· 12.7 Other adverse effects****· Other information:** Pretreat waste water with help of precipitation.**· Additional ecological information:****· According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:**

According to our current data base the product does not consist of any heavy metals or substances of EU-directives 76/464/EWG.

**· General notes:**

At present there are no ecotoxicological assessments.

The statements on ecotoxicology have been derived from the properties of the individual components.

The product may not be released into the environment without control.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

**SECTION 13: Disposal considerations****· 13.1 Waste treatment methods****· Recommendation**

Disposal must be made according to official regulations.

(Contd. on page 10)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.03.2023

Version number 9.0 (replaces version 8.0)

Revision: 10.03.2023

**Trade name: KEIM LIGNOSIL-BASE-W**

(Contd. of page 9)

Must not be disposed with household garbage. Do not allow product to reach sewage system.

**· European waste catalogue**

08 01 12 | waste paint and varnish other than those mentioned in 08 01 11

**· Uncleaned packaging:****· Recommendation:** Disposal must be made according to official regulations.**· Recommended cleansing agents:** Water, if necessary with cleansing agents.

### SECTION 14: Transport information

**· 14.1 UN number or ID number****· ADR, IMDG, IATA**

Void

**· 14.2 UN proper shipping name****· ADR, IMDG, IATA**

Void

**· 14.3 Transport hazard class(es)****· ADR, IMDG, IATA****· Class**

Void

**· 14.4 Packing group****· ADR, IMDG, IATA**

Void

**· 14.5 Environmental hazards:****· Marine pollutant:**

No

**· 14.6 Special precautions for user**

Not applicable

**· 14.7 Maritime transport in bulk according to IMO instruments**

Not applicable

**· Transport/Additional information:**

No dangerous good in sense of these transport regulations.

**· UN "Model Regulation":**

Void

### SECTION 15: Regulatory information

**· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****· Labelling according to Regulation (EC) No 1272/2008**

For information on labelling please refer to section 2 of this document.

**· Directive 2012/18/EU****· Named dangerous substances - ANNEX I** None of the ingredients is listed.**· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)**

None of the ingredients is listed.

(Contd. on page 11)

DEN



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.03.2023

Version number 9.0 (replaces version 8.0)

Revision: 10.03.2023

**Trade name: KEIM LIGNOSIL-BASE-W**

(Contd. of page 10)

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **National regulations:**

· **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

· **Other regulations, limitations and prohibitive regulations**

· **Please note:**

TRGS 200 (Germany)

TRGS 500 (Germany)

TRGS 510 (Germany)

TRGS 900 (Germany)

· **Substances of very high concern (SVHC) according to REACH, Article 57** Not applicable

· **Product-Code/Giscode:** BSW20

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 12)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.03.2023

Version number 9.0 (replaces version 8.0)

Revision: 10.03.2023

**Trade name: KEIM LIGNOSIL-BASE-W**

(Contd. of page 11)

EUH071 Corrosive to the respiratory tract.

- **Department issuing SDS:** KEIMFARBEN Germany, Product safety department
- **Version number of previous version:** 8.0
- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

AGW: Arbeitsplatzgrenzwert (Germany)

EC10: Effective concentration at 10% mortality rate.

EC50: Half maximal effective concentration.

LC10: Lethal concentration at 10% mortality rate.

NOEC: No observed effect concentration.

REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

- **\* Data compared to the previous version altered.**