

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.12.2020 Version number 13.0 Revision: 01.12.2020

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: poLyChro®-intérieur
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture Sol-silicate paint for interior use.
- · Uses advised against All other uses are not recommended.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

KEIMFARBEN GMBH

Keimstraße 16 / 86420 Diedorf

Tel. +49 (0)821 4802-0

Fax +49 (0)821 4802-210

www.keim.com / info@keimfarben.de

· Further information obtainable from:

Product safety department Telefon: 49(0)821/4802-138 E-Mail: sdb.info@keimfarben.de

· 1.4 Emergency telephone number:

GBK GmbH Global Regulatory Compliance Emergency number: +49(0)6132/84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

EUH210 Safety data sheet available on request.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

- · 2.3 Other hazards Alkaline product. Avoid contact with skin and eyes.
- Results of PBT and vPvB assessment
- PBT: Not applicablevPvB: Not applicable

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Aqueous solution of amorphous silica, organically modified, fillers and pigments.

(Contd. on page 2)



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.12.2020 Version number 13.0 Revision: 01.12.2020

Trade name: poLyChro®-intérieur

| | (0) | Contd. of page 1) |
|--|--|-------------------|
| · Dangerous components: | | |
| | titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 μ m] & Carc. 2, H351 | ≥0.1-≤2.5% |
| CAS: 111-46-6 EINECS: 203-872-2 Index number: 603-140-00-6 Reg.nr.: 01-2119457857-21- xxxx | 2,2'-oxybisethanol STOT RE 2, H373; Acute Tox. 4, H302 | ≤2.5% |
| Additional information: For the wording of the listed hazard phrases refer to section 16. | | |

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

No special measures required.

When seeing the doctor we suggest to present this safety data sheet.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
- · Specila protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

(Contd. on page 3)



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.12.2020 Version number 13.0 Revision: 01.12.2020

Trade name: poLyChro®-intérieur

(Contd. of page 2)

In case of fire do not breathe smoke, fumes and vapours. Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes.

Ensure adequate ventilation

Respect the protection rules (see section 7 a. 8).

6.2 Environmental precautions:

Do not allow product to reach soil, sewage system or any water course.

Follow local governmental rules and regulations.

Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Dispose of the material collected according to regulations.

Clear contaminated areas thoroughly.

Flush rests with sufficient amount of water.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Avoid contact with skin and eyes.

Prevent formation of aerosols.

Ensure good ventilation/exhaustion at the workplace.

See item 8 (8.2) for information about suitable protective equipment and technical precautions. Respect the protection rules.

Information about fire - and explosion protection:

The product is not flammable.

No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- · Requirements to be met by storerooms and receptacles:

Keep in the original containers in a cool and dry place.

Store only in unopened original receptacles.

- Information about storage in one common storage facility: Do not store together with acids.
- Further information about storage conditions:

Store in a cool place.

Protect from frost.

Protect from heat and direct sunlight.

(Contd. on page 4)



Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.12.2020 Version number 13.0 Revision: 01.12.2020

Trade name: poLyChro®-intérieur

(Contd. of page 3)

· Storage class: 12

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

| Ingredients with limit values that require monitoring at the workplace: | | |
|--|--|--|
| 14808-60-7 Quartz (SiO2) | | |
| MAK (Germany) alveolengängige Fraktion | | |
| 13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] | | |
| AGW (Germany) Long-term value: 1.25* 10** mg/m³ 2(II);*alveolengängig**einatembar; AGS, DFG | | |
| 111-46-6 2,2'-oxybisethanol | | |
| AGW (Germany) Long-term value: 44 mg/m³, 10 ppm | | |

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

4(II); DFG, Y, 11

Avoid contact with the eyes and skin.

Do not inhale aerosols.

· Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.

Filter: P

· Protection of hands: Protective gloves

· Material of gloves

suitable material e.g.:

Nitrile impregnated cotton-gloves

Recommended thickness of the material: $\geq 0.5 \text{ mm}$

Nitrile rubber, NBR

Recommended thickness of the material: \geq 0.4 mm

Butyl rubber, BR

Recommended thickness of the material: ≥ 0.7 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Value for the permeation: level \geq 6 (480 min)

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.12.2020 Version number 13.0 Revision: 01.12.2020

Trade name: poLyChro®-intérieur

(Contd. of page 4)

Eye protection: Safety glasses
 Body protection: Protective work clothing
 Limitation and supervision of exposure into the environment

See Section 12 and 6.2

No further relevant information available.

SECTION 9: Physical and chemical properties

| · 9.1 Information on basic physical and chemical properties · General Information | | |
|--|---|--|
| · Appearance: | | |
| Form: | Pasty | |
| Colour: | Different, according to colouring. | |
| · Odour: | Weak, characteristic | |
| · Odour threshold: | Not determined | |
| · pH-value at 20 °C: | ~11 | |
| · Change in condition | | |
| Melting point/freezing point: | Not determined | |
| Initial boiling point and boiling range | : Not determined | |
| · Flash point: | Not applicable | |
| · Flammability (solid, gas): | Not applicable | |
| · Ignition temperature: | Not determined | |
| · Decomposition temperature: | Not determined | |
| · Auto-ignition temperature: | Product is not selfigniting. | |
| · Explosive properties: | Product does not present an explosion hazard. | |
| · Explosion limits: | | |
| Lower: | Not applicable | |
| Upper: | Not applicable | |
| · Oxidising properties: | Not applicable | |
| · Vapour pressure at 20 °C: | ~23 hPa | |
| · Density at 20 °C: | 1.4-1.5* g/cm³ | |
| · Relative density | Not determined | |
| Vapour density | Not applicable. | |
| · Evaporation rate | Not applicable | |
| Solubility in / Miscibility with water: | Miscible | |
| Partition coefficient: n-octanol/water: | Not applicable | |
| · Viscosity: Dynamic at 20 °C: | 2000-2800* mPas | |

(Contd. on page 6)



Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.12.2020 Version number 13.0 Revision: 01.12.2020

Trade name: poLyChro®-intérieur

| | (Contd. of page 5) | |
|-------------------------|--|--|
| Kinematic: | Not determined | |
| · 9.2 Other information | * The values are for freshly produced material and may change with the time. | |

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability Stable under normal conditions of storage and use.
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Acids
- · 10.6 Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

| · LD/LC50 | LD/LC50 values relevant for classification: | | | | |
|------------|--|------------------------------|--|--|--|
| 13463-67- | 13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] | | | | |
| Oral | LD50 | >20,000 mg/kg (rat) | | | |
| Dermal | LD50 | >10,000 mg/kg (rabbit) | | | |
| Inhalative | LC50/4 h | >6.82 mg/l (rat) | | | |
| 111-46-6 | 111-46-6 2,2'-oxybisethanol | | | | |
| Oral | LD50 | 19,600 mg/kg (rat) | | | |
| Dermal | LD50 | 11,890-13,300 mg/kg (rabbit) | | | |

- Primary irritant effect:
- · Skin corrosion/irritation Frequent persistent contact with the skin may cause skin irritation.
- Serious eye damage/irritation In case of longer exposure, irritating effect is possible.
- during inhalation: Irritant effect possible.
- during swallowing: Irritant effect possible
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Other information (about experimental toxicology):

Experimental analysis are not available.

The product was not tested. The statements on toxicology have been derived from the properties of the individual components.

- · Subacute to chronic toxicity:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Not applicable
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 7)



Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.12.2020 Version number 13.0 Revision: 01.12.2020

Trade name: poLyChro®-intérieur

(Contd. of page 6)

- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

111-46-6 2,2'-oxybisethanol

EC 50/24h |>10,000 mg/l (daphnia)

LC 50/96 h 75,200 mg/l (fish)

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · AOX-indication: The product has no influence on the AOX of the waste water.
- According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:

The product contains TiO2.

· General notes:

The statements on ecotoxicology have been derived from the properties of the individual components.

At present there are no ecotoxicological assessments.

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable
- · vPvB: Not applicable
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Disposal must be made according to official regulations.
- · European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 8)



Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.12.2020 Version number 13.0 Revision: 01.12.2020

Trade name: poLyChro®-intérieur

(Contd. of page 7)

· Recommended cleansing agents: Water, if necessary with cleansing agents.

| SECTION 14: Transport informat | ion | |
|--|--|--|
| · 14.1 UN-Number · ADR, IMDG, IATA | Void | |
| · 14.2 UN proper shipping name · ADR, IMDG, IATA | Void | |
| · 14.3 Transport hazard class(es) | | |
| · ADR, IMDG, IATA · Class | Void | |
| · 14.4 Packing group · ADR, IMDG, IATA | Void | |
| · 14.5 Environmental hazards: · Marine pollutant: | No | |
| · 14.6 Special precautions for user | Not applicable | |
| • 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable | | |
| · Transport/Additional information: | No dangerous good in sense of these transport regulations. | |
| · UN "Model Regulation": | Void | |

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

 For information on labelling please refer to section 2 of this document.
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable
- Product-Code/Giscode: BSW10

(Contd. on page 9)



Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.12.2020 Version number 13.0 Revision: 01.12.2020

Trade name: poLyChro®-intérieur

(Contd. of page 8)

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

Department issuing SDS: KEIMFARBEN Germany, Product safety department

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

AGW: Arbeitsplatzgrenzwert (Germany)

EC10: Effective concentration at 10% mortality rate.

EC50: Half maximal effective concentration.

LC10: Lethal concentration at 10% mortality rate.

NOEC: No observed effect concentration.

REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)

Acute Tox. 4: Acute toxicity - oral - Category 4

Carc. 2: Carcinogenicity - Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

* Data compared to the previous version altered.

DEN